

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	133440	("303"/\$ "701"/\$ "702"/\$ "340"/\$). ccls. and "1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:16
L2	199981	("303"/\$ "701"/\$ "702"/\$ "340"/\$). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:16
L3	1494	(vehi\$3 car mobile automo\$3) and hydraulic and compar\$3 near6 (voltage temperature thermal pressure) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:17
L4	976	3 and "303"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:17
L5	921	4 and compar\$3 near5 (voltage\$3 temperature thermal pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:18
L6	5262	(vehi\$3 car mobile automo\$3) and hydraulic and compar\$3 near6 (voltage temperature thermal pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:18
L7	4996	L6 and (threshold max\$6 critical overload\$3 limit\$4 reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:18
L8	524	L7 and (wear\$3 tear\$3 fail\$4 fault\$3 age\$3 defect\$3) and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:19
L9	522	8 and brak\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:19
L10	219	8 and brak\$3 near3 (request\$3 input\$3 parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:20

L11	140	8 and brak\$3 near3 (request\$3 input\$3 parameter) near20 (voltag\$3 thermal temperature pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:25
L12	5807	(701/29-35 702/24,25,58,59,182,183, 84,185).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:26
L13	2	12 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:26
L14	11	("4504911" "4773014" "4884056" "4969696" "4989923" "5246279" "5295738" "5473225").PN. OR ("5612879").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 15:28
L15	6	12 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:28
L16	10	("4020454" "4649370" "4753492" "4790606" "4964679" "5028144" "5136508" "5613744").PN. OR ("6119059").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 15:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5262	(vehi\$3 car mobile automo\$3) and hydraulic and compar\$3 near6 (voltage temperature thermal pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:33
L2	3835	1 and (threshold max\$6 critical overload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:34
L3	4996	1 and (threshold max\$6 critical overload\$3 limit\$4 reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:34
L4	3018	3 and (wear\$3 tear\$3 fail\$4 fault\$3 age\$3 defect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:35
L5	0	4 and break\$3 near3 request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:35
L6	831	4 and break\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:36
L7	146109	break\$3 same (voltage temperture thermal pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:36
L8	317	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:36
L9	28	8 and overload\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:37
L10	122	8 and (comfort\$3 safety)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 09:42

L11	6	("4721344" "6213567" "6217131" "6241326" "6270172" "6606548"). PN. OR ("6774595").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 09:51
L12	15	("3350142" "3971215" "3991570" "4100739" "4369625" "4402554"). PN. OR ("4769989").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 10:47